

Polaris



Porta ad un'anta a battente
con apertura verso l'interno e verso l'esterno.

Paroi de douche avec ouverture pivotante
vers l'intérieur et l'extérieur.

Shower enclosure with pivot door.
with inward and outward opening pivot door.

Puerta con un panel abatible
apertura con hoja abatible hacia el interior y el exterior.

Drehtür
nach innen und außen öffnend. Im Lieferumfang sind alle Befestigungsteile enthalten.

Vleugel deur
Openzwaaiende paneel naar binnen en naar buiten.


Одностворчатая распашная панель
с открыванием вовнутрь и наружу.




H 195 cm. - V 6 mm.

Finitura profili

Finitions des profilés_Profiles finishing _Acabado perfiles
Profilfarbe_Profil afwerkingen _Отделка профилей



**ULU
brillantato cromo**
chromé brillant
brilliant chrome
aluminio cromo
Chrom glänzend
glänzend chrom
светлый блестящий хром



**L91
bianco opaco**
blanc mat
white matt
blanco mate
Weiß matt
wit matte
белый матовая




**L96
nero opaco**
satiné argent
silver glazed satin
satinado plata
Satinierter silber
satijn zilver
сатинированное
серебро

Finitura pannelli


Finitions des panneaux_Panels finishing _Acabado perfiles
Glasart_Paneel afwerkingen _Отделка панелей



**TR
trasparente**
transparent
transparent
transparente
Klarglas
transparent
прозрачное



**AS
Satinato Acqua**
satiné Acqua
satin Acqua
satinado Acqua
Satiniertes Glas Acqua
satijn Acqua
сатинированное Acqua




**RF
trasparente con fascia Satinata**
transparent bande sérigraphiée
transparent with serigraphy band
serigrafia franja
Klarglas siebdruck Band
transparent zeedruk band
прозрачное рисунок шелкография полоса

Porta ad un'anta a battente

Paroi de douche pivotante
 Shower enclosure with pivot door.
 Frontal abatible.
 Drehtür
 Vleugel deur
 Одностворчатая распашная панель







A [cm]	Cod.	A [cm]	B [cm]	C [cm]	[dm³]	[kg]	[n°]
65,5-69	B3831	22,1	41,1	40	133	26	1
69-72,5	B3832	23,1	43,6	42	136	28	1
72,5-76	B3833	23,6	46,6	45	139	28	1
76-79,5	B3834	24,6	49,1	48	142	30	1
79,5-83	B3835	24,6	52,6	51	145	32	1
83-86,5	B3836	25,5	55,1	54	148	33	1
86,5-90	B3837	25,5	58,6	57	150	35	1
90-93,5	B3838	29,1	58,6	57	152	36	1
93,5-97	B3840	32,6	58,6	57	157	36	1
97-100,5	B3841	31,2	63,3	62	160	38	1
100,5-104	B3842	34,7	63,3	62	163	38	1
104-107,5	B3843	36,4	65,3	64	166	38	1
107,5-111	B3844	35,8	69,3	68	175	39	1
111-114,5	B3845	39,3	69,3	68	180	41	1
114,5-118	B3846	40,8	71,3	70	193	41	1
118-121,5	B3847	42,3	73,3	72	195	42	1



160 mm

Interasse maniglia
 Empattement de la poignée
 Handle wheelbase
 Distancia entre ejes de la manija
 Radstand handhaben
 Handvat wielbasis
 Колесная база ручки

Le dimensioni sono in mm
 Les dimensions sont indiquées en mm
 Sizes in mm
 Las medidas son en mm
 De afmetingen zijn vermeld in mm
 Maßangaben in mm
 Mēpa (mm.)










Prodotti Speciali - Produits Spéciaux - Special products - Productos Especiales - Sonderfertigungen - Maatwerk - Специальные Иродукты

MISURE LIMITE	Altezza max 217 cm.	//	Larghezza max 140 cm.	Larghezza min 60 cm.
MESURES LIMITES	Hauteur max 217 cm.	//	Largeur max 140 cm.	Largeur min 60 cm.
LIMITS OF MEASUREMENTS	Height max 217 cm.	//	Width max 140 cm.	Width min 60 cm.
MEDIDAS LIMITE	Altura max 217 cm.	//	Anchura max 140 cm.	Anchura min 60 cm.
GRENZMAßE	Höhe max 217 cm.	//	Breite max 140 cm.	Breite min 60 cm.
EXTREME MATEN	Hoogte max 217 cm.	//	Breedte max 140 cm.	Breedte min 60 cm.
ПРЕДЕЛЬНЫЕ РАЗМЕРЫ:	Макс. высота 217 см	//	Макс. ширина 140 см	Мин. ширина 60 см

	I								
	II								
	III								





<p>RIC2716</p> <p>1x 2 mt 1x</p>	<p>RIC2353</p> <p>1x</p>	<p>RIC2706</p> <p>1x 3x</p>	<p>RIC2707</p> <p>1x 1x</p>
<p>RIC2708</p> <p>1x</p>	<p>RIC1799</p> <p>6x 4x 6x 4x</p>	<p>RIC2352</p> <p>2 mt</p>	<p>RIC 2747</p> <p>1x</p>
<p>RIC2713</p> <p>1x 1x 1x 1x</p>	<p>RIC863</p> <p>1x 1x 2x 1x</p>	<p>RIC1620</p> <p>2x</p>	<p>RIC1096</p> <p>1x</p>
<p>RIC864</p> <p>1x</p>	<p>RIC2370</p> <p>1x 1x 1x 1x</p>	<p>RIC2715</p> <p>1x (sx) 1x (dx) 2x 2x 2x 3,5 x 32 1x 1x</p>	